What is claimed is:

1. A production process for a hydroxyalkyl (meth)acrylate, which comprises the step of carrying out a reaction between (meth)acrylic acid and an alkylene oxide in order to produce the hydroxyalkyl (meth)acrylate,

with the production process further comprising the steps of: recovering the unreacted (meth)acrylic acid by distillation of the resultant reaction liquid; and thereafter recycling the recovered unreacted (meth)acrylic acid as a raw material for the reaction.

10

5

2. A production process according to claim_1, which further comprises the steps of: recovering the unreacted alkylene oxide together with the unreacted (meth)acrylic acid; and thereafter recycling them.

15

3. A production process according to claim 1, which further comprises the steps of: separating the unreacted alkylene oxide from the reaction liquid in the first place; and thereafter recovering the unreacted (meth)acrylic acid by the distillation.

20

4. A production process according to claim 1, wherein the

10

5

distillation is carried out under an operational pressure of 1 to 40 hPa.

- 5. A production process according to claim-1, wherein the distillation is carried out with a plate column and/or a packed column.
- 6. A production process according to claim 1, wherein the distillation is carried out in the presence of polymerization inhibitors involving the joint use of at least one compound with an N-oxyl compound wherein the at least one compound is selected from the group consisting of phenol compounds, paraphenylenediamines, amine compounds, copper dialkydithiocarbamates and nitroso compounds.
- 7. A production process according to claim 1, wherein the concentration of the (meth)acrylic acid in the reaction liquid is in the range of 0.1 to 20 weight %.